GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Allegation against Sri I.Srinivasa Rao, Executive Engineer, NSJC O&M Division, Chimakurthy for his misbehaviour, misconduct and dereliction of duties - Disciplinary proceedings initiated under Rule 20 of APCS (CC&A) Rules, 1991 – Appointment of Chief Engineer, HRD, Vijayawada as Inquiring Authority in place of the Chief Engineer (Projects), Ongole, Prakasam District – Orders – Issued.

WATER RESOURCES (VIG-III.2) DEPARTMENT

G.O.RT.No. 430 Dated: 20-08-2025

Read the following:-

1. G.O.Rt.No.289, Water Resources (VIG.III.1) Department, dt: 12.08.2021.
2. From Engineer-in-Chief (Admin), W.R. Department, Vijayawada, Lr.No.RC/ENC/K/AD(V1)/AEE1/E-4153821/2021,dt: 02.11.2021 along with written statement of defence of Sri I.Srinivasa Rao, E.E.
3. G.O.Rt.No.77, Water Resources (VIG-III.2) Department, dt: 17.02.2023.
4. Letter from ENC (AW), Lr.No. ECAD-22022/20/2025-K SEC-ENCADMIN-1, dt: 12.06.2025.
5. G.O.Rt.No.332, Water Resources (VIG.III.1) Department, dt: 25.06.2025.
6. Letter from ENC (AW), Lr.No.ECAD-22022/20/2025-K SEC-ENCADMIN-1, dt: 17.07.2025.

*****

ORDER:

Whereas in the reference 5th read above, Government has appointed the Chief Engineer (Projects), Ongole, Prakasam District as Inquiring Authority under Rule 20 (2) of APCS (CC&A) Rules, 1991 to conduct inquiry against Sri I.Srinivasa Rao, the then Executive Engineer, NSJC O&M Division, Chimakurthy, Prakasam District and the Superintending Engineer, Irrigation Circle, Ongole as Presenting Officer to present the case before the Inquiry Officer under Rule 20(5)(c) of APCS (CC&A) Rules, 1991, on behalf of the disciplinary authority.

2. In the circumstances explained by the Engineer-in-Chief (AW), Water Resources Department, Vijayawada in the reference 6th read above, Government after careful examination of the matter, hereby appoint the Chief Engineer, HRD, Vijayawada as Inquiring Authority in place of the Chief Engineer (Projects), Ongole, Prakasam District to inquire into the charges framed against Sri I.Srinivasa Rao, the then Executive Engineer, NSJC O&M Division, Chimakurthy, Prakasam District under Rule 20 (2) of APCS (CC&A) Rules, 1991 and retaining the Superintending Engineer, Irrigation Circle, Ongole as Presenting Officer under Rule 20(5)(c) of APCS (CC&A) Rules, 1991. The Inquiring Authority shall continue the Inquiry and complete the enquiry within two (2) months positively and submit his report to Government for further action in the matter.

3. The Presenting Officer shall present the case on behalf of the disciplinary authority and obtain and produce documents, if any, required by the Inquiring Authority during the course of Inquiry.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVT

To

The Chief Engineer, HRD, Vijayawada & Inquiry Officer through the Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada.

(P.T.O.)

The Superintending Engineer, Irrigation Circle, Ongole, Prakasam District & Presenting Officer through ENC (AW), Water Resources Department, Vijayawada.

Sri I.Srinivasa Rao, the then Executive Engineer, NSJC O&M Division, Chimakurthy, Prakasam District through the ENC (AW), Water Resources Department, Vijayawada.

Sf/Sc

//FORWARDED::BY ORDER//

SECTION OFFICER